


DATA SHEET

BIAMP SAGEVUE™

BROWSER-BASED MANAGEMENT PLATFORM FOR BIAMP DEVICES



Biamp SageVue™ is a browser-based monitoring and management platform for Tesira® and Devio® devices. It is a self-contained web app deployed at a customer's site, enabling technology managers and designated end users to review system status and perform several system administration tasks. Granular access control levels are available, and can be associated with the organization's existing Active Directory users and groups. SageVue also includes a RESTful API which can be used to build custom dashboards, or be integrated with third party monitoring applications.

FEATURES

- Provides a single, comprehensive view of all Tesira and Devio devices connected to the network
- Monitors the status of network-connected Tesira and Devio devices
- Sorting and tagging tools are available to help organize and filter data
- Tesira firmware can be updated remotely, either in groups or on a device-by-device basis
- Provides access to the VoIP configuration functions of Tesira VoIP-enabled devices
- Allows configuration of network properties for Tesira devices, including IP addressing and 802.1X port management
- Configurable access levels are available, with support for Active Directory integration
- Users can access both the user and advanced logs of Tesira devices
- Features a full log of user activity for traceability

ARCHITECTS & ENGINEERS SPECIFICATION

The management software shall allow for the management, monitoring, programming, and control of Biamp® Tesira® and Devio® devices. The management software shall provide a user interface rendered in a web browser. The user interface shall permit users to perform a range of management and monitoring tasks on connected systems and devices.

The management software shall include, but not be limited to, the following functionality for Tesira devices: control of the network properties of the devices, updating the firmware of the devices, reading the fault status of systems or devices, and configuring the VoIP settings of VoIP-enabled devices. The management software shall enable users to access the user and advanced logs of Tesira devices. The management software shall include, but not be limited to, the following functionality for Devio devices: reading the fault status of devices and accessing the management web pages of devices.

The management software shall support administrative-defined access to different capabilities and functions within the system. The management software shall be capable of interfacing with an Active Directory system to import existing users and groups. The management software shall include a RESTful API for external access of system data and functionality. The management software shall support a historical log of all user activity.

The management software shall be installed on 32- or 64-bit Microsoft® Windows® 10 Professional edition or higher. The management software shall require a 2 GHz Intel® or AMD-compatible processor or higher, a minimum of 4 GB RAM, 20 GB of available hard disk space, and at least one 1 Gigabit Ethernet network interface card (NIC). The management software shall support the following web browsers:

Mac OS X

- Google Chrome 56 or higher
- Mozilla Firefox 51 or higher
- Safari 10 or higher

Windows

- Google Chrome 56 or higher
- Microsoft Edge 40 or higher
- Mozilla Firefox 51 or higher

The management software shall be Biamp SageVue™.

Biamp, Tesira, Devio, and SageVue are either trademarks or registered trademarks of Biamp Systems, LLC in the United States and other countries. Other product names referenced may be trademarks or registered marks of their respective owners and Biamp Systems is not affiliated with or sponsored by these companies.